EXHIBIT A

Excerpt from Arista Networks, Inc.'s
Third Supplemental Responses to
Plaintiff Cisco Systems, Inc.'s First Set of
Interrogatories, Interrogatory No. 10

Asserted Command	RFCs, IEEE Specifications, and Other Documentation ¹
aaa accounting	See, e.g., RFC 2903 – Generic AAA Architecture (Aug. 2000), https://tools.ietf.org/html/rfc2903 and drafts thereof;
	Lagsford et. al., "OSI Management and Job Transfer Services," Proceedings of the IEEE, Volume 71, No. 12, December 1983.
	See also, e.g., RFC 6733, 6065, 3580, 2989, 2924, 2865, 2138, 2058, 1492, The TACACS+ Protocol (Jan. 1997), https://tools.ietf.org/html/draft-grant-tacacs-02 , and drafts thereof.
aaa accounting dot1x	See, e.g., RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof;
	RFC 2903 – Generic AAA Architecture (Aug. 2000), https://tools.ietf.org/html/rfc2903 and drafts thereof;
	Lagsford et. al., "OSI Management and Job Transfer Services," Proceedings of the IEEE, Volume 71, No. 12, December 1983;
	IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
	See also RFC 6733, 6065, 2989, 2924, 2865, 2138, 2058, 1492, and The TACACS+ Protocol (Jan. 1997),

Case 5:14-cv-05344-BLF

The identification of an RFC in this response includes all publicly available drafts of that RFC, any subsequent RFC(s) that may obsolete, supercede, or update the RFC, and any predecessor RFC(s) that the RFC may obsolete, update, or supercede. Similarly, the identification of an IEEE standard, ANSI standard, or other standard includes all revisions of that standard.

	T
	https://tools.ietf.org/html/draft-grant-tacacs-02.
aaa authentication login	See, e.g., RFC 2903 – Generic AAA Architecture (Aug. 2000), https://tools.ietf.org/html/rfc2903 and drafts thereof;
	RFC 2989 – Criteria for Evaluating AAA Protocols for Network Access (Nov. 2000), https://tools.ietf.org/html/rfc2989 and drafts thereof;
	Lagsford et. al., "OSI Management and Job Transfer Services," Proceedings of the IEEE, Volume 71, No. 12, December 1983.
	See also, e.g., RFC 6733, 6065, 3580, 2924, 2865, 2138, 2058, 1492, The TACACS+ Protocol (Jan. 1997), https://tools.ietf.org/html/draft-grant-tacacs-02 , and drafts thereof.
aaa authorization config-commands	See, e.g., RFC 2903 – Generic AAA Architecture (Aug. 2000), https://tools.ietf.org/html/rfc2903 and drafts thereof;
	Lagsford et. al., "OSI Management and Job Transfer Services," Proceedings of the IEEE, Volume 71, No. 12, December 1983.
	See also, e.g., RFC 6733, 6065, 3580, 2989, 2924, 2865, 2138, 2058, 1492, The TACACS+ Protocol (Jan. 1997), https://tools.ietf.org/html/draft-grant-tacacs-02 , and drafts thereof.
aaa authorization console	See, e.g., RFC 2903 – Generic AAA Architecture (Aug. 2000), https://tools.ietf.org/html/rfc2903 and drafts thereof;
	Lagsford et. al., "OSI Management and Job Transfer Services," Proceedings of the IEEE, Volume 71, No. 12, December 1983.
	See also, e.g., RFC 6733, 6065, 3580, 2989, 2924, 2865, 2138, 2058, 1492, The TACACS+ Protocol (Jan. 1997),

	https://tools.ietf.org/html/draft-grant-tacacs-02, and drafts thereof.
aaa group server radius	See, e.g., RFC 2903 – Generic AAA Architecture (Aug. 2000), https://tools.ietf.org/html/rfc2903 and drafts thereof;
	RFC 2058 – Remote Authentication Dial In User Service (RADIUS) (Jan. 1997), https://tools.ietf.org/html/rfc2058 and drafts thereof;
	RFC 2865 – Remote Authentication Dial In User Service (RADIUS) (June 2000), https://tools.ietf.org/html/rfc2865 and drafts thereof;
	Lagsford et. al., "OSI Management and Job Transfer Services," Proceedings of the IEEE, Volume 71, No. 12, December 1983.
	See also, e.g., RFC 6733, 6065, 3580, 2989, 2924, 2138, 1492, The TACACS+ Protocol (Jan. 1997), https://tools.ietf.org/html/draft-grant-tacacs-02 , and drafts thereof.
aaa group server tacacs+	See, e.g., RFC 2903 – Generic AAA Architecture (Aug. 2000), https://tools.ietf.org/html/rfc2903 and drafts thereof;
	Lagsford et. al., "OSI Management and Job Transfer Services," Proceedings of the IEEE, Volume 71, No. 12, December 1983.
	See also, e.g., RFC 6733, 6065, 3580, 2989, 2924, 2865, 2138, 2058, 1492, The TACACS+ Protocol (Jan. 1997), https://tools.ietf.org/html/draft-grant-tacacs-02 , and drafts thereof.
address-family	See, e.g., RFC 1700 – Assigned Numbers (Oct. 1994), https://tools.ietf.org/html/rfc1700 and drafts thereof;

	RFC 2283 – Multiprotocol Extensions for BGP-4 (Feb. 1998), https://tools.ietf.org/html/rfc2283 and drafts thereof.
area default-cost	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
area default-cost (OSPFv3)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
area nssa	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 1587 – The OSPF NSSA Option (Mar. 1994), https://tools.ietf.org/html/rfc1587 and drafts thereof, including for example https://tools.ietf.org/html/draft-ietf-ospf-nssa-option-00 .

	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
area nssa (OSPFv3)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 1587 – The OSPF NSSA Option (Mar. 1994), https://tools.ietf.org/html/rfc1587 and drafts thereof, including for example https://tools.ietf.org/html/draft-ietf-ospf-nssa-option-00 ;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
area nssa default- information-originate	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 1587 – The OSPF NSSA Option (Mar. 1994), https://tools.ietf.org/html/rfc1587 and drafts thereof, including for example https://tools.ietf.org/html/draft-ietf-ospf-nssa-option-00 .
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.

See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
RFC 1587 – The OSPF NSSA Option (Mar. 1994), https://tools.ietf.org/html/rfc1587 and drafts thereof, including for example https://tools.ietf.org/html/draft-ietf-ospf-nssa-option-00 ;
RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
RFC 1587 – The OSPF NSSA Option (Mar. 1994), https://tools.ietf.org/html/rfc1587 and drafts thereof, including for example https://tools.ietf.org/html/draft-ietf-ospf-nssa-option-00 .
See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;

	7
	RFC 1587 – The OSPF NSSA Option (Mar. 1994), https://tools.ietf.org/html/rfc1587 and drafts thereof, including for example https://tools.ietf.org/html/draft-ietf-ospf-nssa-option-00 .
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
area nssa translate type7 always (OSPFv3)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 1587 – The OSPF NSSA Option (Mar. 1994), https://tools.ietf.org/html/rfc1587 and drafts thereof, including for example https://tools.ietf.org/html/draft-ietf-ospf-nssa-option-00 ;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
area range	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.

area range (OSPFv3)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
area stub	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
area stub (OSPFv3)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.

arp timeout	See, e.g., RFC 826 – An Ethernet Address Resolution Protocol or Converting Network Protocol Addresses (Nov. 1982), https://tools.ietf.org/html/rfc826 and drafts thereof;
	RFC 925 – Multi-LAN Address Resolution (Oct. 1984), https://tools.ietf.org/html/rfc925 and drafts thereof.
	See also, e.g., RFC 5494, 5227, 1620, 1027, 1009.
bfd all-interfaces	See, e.g., "Bidirectional Forwarding Detection" Internet Drafts, IETF Network Working Group (June 2003), https://tools.ietf.org/html/draft-katz-ward-bfd-00 , and additional drafts dated August 2003 (https://tools.ietf.org/html/draft-katz-ward-bfd-01) and May 2004 (https://tools.ietf.org/html/draft-katz-ward-bfd-02);
	RFC 5880 – Bidirectional Forwarding Detection (BFD) (June 2010), https://tools.ietf.org/html/rfc5880 and drafts thereof;
	RFC 5881 – Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop) (June 2010), https://tools.ietf.org/html/rfc5881 and drafts thereof;
	RFC 7331 – Bidirectional Forwarding Detection (BFD) Management Information Base (Aug. 2014), https://tools.ietf.org/html/rfc7331 and drafts thereof.
bgp client-to-client reflection	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1966 – BGP Route Reflection - An Alternative to Full Mesh IBGP (June 1996), https://tools.ietf.org/html/rfc1966

	and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
bgp cluster-id	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1966 – BGP Route Reflection - An Alternative to Full Mesh IBGP (June 1996), https://tools.ietf.org/html/rfc1966 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
bgp confederation identifier	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1966 – BGP Route Reflection - An Alternative to Full Mesh IBGP (June 1996), https://tools.ietf.org/html/rfc1966 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
bgp confederation peers	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;

	, ,
	RFC 1966 – BGP Route Reflection - An Alternative to Full Mesh IBGP (June 1996), https://tools.ietf.org/html/rfc1966 and drafts thereof. See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1965, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360,
	4456, 4760, 5065, 5881.
bgp listen limit	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1966 – BGP Route Reflection - An Alternative to Full Mesh IBGP (June 1996), https://tools.ietf.org/html/rfc1966 and drafts thereof;
	RFC 1771 – A Border Gateway Protocol 4 (BGP-4) (Mar. 1995), https://tools.ietf.org/html/rfc1771 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1774, 1965, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
bgp log-neighbor- changes	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1966 – BGP Route Reflection - An Alternative to Full Mesh IBGP (June 1996), https://tools.ietf.org/html/rfc1966 and drafts thereof.

See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
RFC 1966 – BGP Route Reflection - An Alternative to Full Mesh IBGP (June 1996), https://tools.ietf.org/html/rfc1966 and drafts thereof;
RFC 1771 – A Border Gateway Protocol 4 (BGP-4) (Mar. 1995), https://tools.ietf.org/html/rfc1771 and drafts thereof.
See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1774, 1965, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
See, e.g., IEEE Std 802.3ad-2000 – IEEE Standard for Information Technology - Local and Metropolitan Area Networks - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications-Aggregation of Multiple Link Segments (Mar. 2000);
IEEE Std 802.1AX-2008 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Nov. 2008).
See, e.g., RFC 4594 – Configuration Guidelines for DiffServ Service Classes (Aug. 2006), https://tools.ietf.org/html/rfc4594 and drafts thereof;

	7
	RFC 3746 – Forwarding and Control Element Separation (ForCES) Framework (Apr. 2004), https://tools.ietf.org/html/rfc3746 and drafts thereof;
	RFC 3654 – Requirements for Separation of IP Control and Forwarding (Nov. 2003), https://tools.ietf.org/html/rfc3654 and drafts thereof.
clear arp-cache	See, e.g., RFC 1620 – Internet Architecture Extensions for Shared Media (May 1994), https://tools.ietf.org/html/rfc1620 and drafts thereof.
clear ip arp	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 826 – An Ethernet Address Resolution Protocol or Converting Network Protocol Addresses (Nov. 1982), https://tools.ietf.org/html/rfc826 and drafts thereof;
	RFC 925 – Multi-LAN Address Resolution (Oct. 1984), https://tools.ietf.org/html/rfc925 and drafts thereof.
	See also, e.g., RFC 5494, 5227, 1620, 1027, 1009.
clear ip bgp	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1267 – A Border Gateway Protocol 3 (BGP-3) (Oct. 1991), https://tools.ietf.org/html/rfc1267 and drafts thereof.

	See also, e.g., RFC 1163, 1164, 1265, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
clear ip igmp group	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986), https://tools.ietf.org/html/rfc988 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989), https://tools.ietf.org/html/rfc1112 and drafts thereof.
	See also, e.g., RFC 2236, 2933, 3376, 4286, 4541, 4604, 5519, IETF Internet Draft "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00.
clear ip mfib fastdrop	See, e.g., RFC 4601 – Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised) (Aug. 2006), https://tools.ietf.org/html/rfc4601 and drafts thereof;
	RFC 5015 – Bidirectional Protocol Independent Multicast (BIDIR-PIM) (Oct. 2007), https://tools.ietf.org/html/rfc5015 and drafts thereof.
clear ip mroute	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2932 – IPv4 Multicast Routing MIB (Oct. 2000), https://tools.ietf.org/html/rfc2932 and drafts thereof.
1	

	See also, e.g., RFC 2236, 2191, 2121, 1112.
clear ip msdp sa-cache	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Draft 00, issued on Dec. 1999 (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., Multicast Source Discovery Protocol (MSDP), Internet Draft (June 25, 1998), (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt), RFC 4611, 4624.
clear ip nat translation	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1347 – TCP and UDP with Bigger Addresses (TUBA), A Simple Proposal for Internet Addressing and Routing (June 1992), https://tools.ietf.org/html/rfc1347 and drafts thereof;
	RFC 2663 – IP Network Address Translator (NAT) Terminology and Considerations (Aug. 1999), https://tools.ietf.org/html/rfc2663 and drafts thereof;
	RFC 4008 – Definitions of Managed Objects for Network Address Translators (NAT) (Mar. 2005), https://tools.ietf.org/html/rfc4008 and drafts thereof.
clear ip ospf neighbor	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1131 – The OSPF Specification (Oct. 1989),

	https://tools.ietf.org/html/rfc1131 and drafts thereof;
	RFC 1245 – OSPF Protocol Analysis (July 1991), https://tools.ietf.org/html/rfc1245 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
clear ipv6 neighbors	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug 1996);
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof.
	See also, e.g., RFC 791, 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 2178, 2328, 2991, 3101, 5340, 5709.
clear ipv6 ospf force-spf	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;

	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof; RFC 2740 – OSPF for IPv6 (Dec. 1999),
	https://tools.ietf.org/html/rfc2740 and drafts thereof.
	See also, e.g., RFC 791, 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5340, 5709.
clear lldp counters	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (May 2005);
	IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (Sept. 2009).
clear lldp table	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (May 2005);
	IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (Sept. 2009).
clear mac-address-table- dynamic	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984).
clear spanning-tree counters	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
<u> </u>	1

	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks.
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
control-plane	See, e.g., RFC 3654 – Requirements for Separation of IP Control and Forwarding (Nov. 2003), https://tools.ietf.org/html/rfc3654 and drafts thereof;
	RFC 3746 – Forwarding and Control Element Separation (ForCES) Framework (Apr. 2004), https://tools.ietf.org/html/rfc3746 and drafts thereof.
default-information originate (OSPF)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
default-information originate (OSPFv3)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	-

	T
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
default-metric (OSPF)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
default-metric (OSPFv3)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
distance bgp	See, e.g., RFC 1265 – BGP Protocol Analysis (Oct. 1991), https://tools.ietf.org/html/rfc1265 and drafts thereof;

	RFC 1654 – A Border Gateway Protocol 4 (BGP-4) (July 1994), https://tools.ietf.org/html/rfc1654 and drafts thereof;
	RFC 1774 – BGP-4 Protocol Analysis (Mar. 1995), https://tools.ietf.org/html/rfc1774 and drafts thereof;
	RFC 4271 – A Border Gateway Protocol 4 (BGP-4) (July 1994), https://tools.ietf.org/html/rfc1654 and drafts thereof.
	See also, e.g., RFC 791, 1105, 1163, 1164, 1267, 1268, 1269, 1397, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
dot1x max-reauth-req	See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
	RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.
dot1x pae authenticator	See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
	RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.

dot1x port-control	See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
	RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.
dot1x reauthentication	See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
	RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.
dot1x system-auth-control	See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
	RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.
dot1x timeout quiet- period	See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
	RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.

	T
dot1x timeout reauth- period	See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
	RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.
dot1x timeout tx-period	See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
	RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.
flowcontrol receive	See, e.g., IEEE Std 802.3x-1997 – IEEE Standards for Local and Metropolitan Area Networks: Specification for 802.3 Full Duplex Operation (Mar. 1997).
flowcontrol send	See, e.g., IEEE Std 802.3x-1997 – IEEE Standards for Local and Metropolitan Area Networks: Specification for 802.3 Full Duplex Operation (Mar. 1997).
ip access-group	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1636 – Report of IAB Workshop on Security in the Internet Architecture (June 1994), https://tools.ietf.org/html/rfc1636 and drafts thereof;
	RFC 1983 – Internet Users' Glossary (Aug. 1996), https://tools.ietf.org/html/rfc1983 and drafts thereof.

	T The state of the
	See also, e.g., RFC 2086, 4949.
ip access-list	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1636 – Report of IAB Workshop on Security in the Internet Architecture (June 1994), https://tools.ietf.org/html/rfc1636 and drafts thereof;
	RFC 1983 – Internet Users' Glossary (Aug. 1996), https://tools.ietf.org/html/rfc1983 and drafts thereof.
	See also, e.g., RFC 2086, 4949.
ip access-list standard	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1636 – Report of IAB Workshop on Security in the Internet Architecture (June 1994), https://tools.ietf.org/html/rfc1636 and drafts thereof;
	RFC 1983 – Internet Users' Glossary (Aug. 1996), https://tools.ietf.org/html/rfc1983 and drafts thereof.
	See also, e.g., RFC 2086, 4949.
ip address	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986),

	https://tools.ietf.org/html/rfc988 and drafts thereof.
ip as-path access-list	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1636 – Report of IAB Workshop on Security in the Internet Architecture (June 1994), https://tools.ietf.org/html/rfc1636 and drafts thereof;
	RFC 1983 – Internet Users' Glossary (Aug. 1996), https://tools.ietf.org/html/rfc1983 and drafts thereof.
	See also, e.g., RFC 2086, 4949.
ip community-list expanded	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1997 – BGP Communities Attribute (Aug. 1996), https://tools.ietf.org/html/rfc1997 and drafts thereof.
	See also, e.g., RFC 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
ip community-list standard	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1997 – BGP Communities Attribute (Aug. 1996), https://tools.ietf.org/html/rfc1997 and drafts thereof.

	See also, e.g., RFC 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
ip dhcp smart-relay	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1531 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1531 and drafts thereof;
	RFC 1541 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1541 and drafts thereof;
	RFC 2131 – Dynamic Host Configuration Protocol (Mar. 1997), https://tools.ietf.org/html/rfc2131 and drafts thereof;
	RFC 3315 – Dynamic Host Configuration Protocol for IPv6 (DHCPv6) (July 2003), https://tools.ietf.org/html/rfc3315 and drafts thereof.
	See also, e.g., RFC 2460, 3046, 3396, 4029, 4243, 4361, 6607, 6842, 7513.
ip dhcp smart-relay global	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1531 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1531 and drafts thereof;
	RFC 1541 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1541 and drafts thereof;

	<u> </u>
	RFC 2131 – Dynamic Host Configuration Protocol (Mar. 1997), https://tools.ietf.org/html/rfc2131 and drafts thereof; RFC 3315 – Dynamic Host Configuration Protocol for IPv6 (DHCPv6) (July 2003), https://tools.ietf.org/html/rfc3315 and drafts thereof.
	See also, e.g., RFC 2460, 3046, 3396, 4029, 4243, 4361, 6607, 6842, 7513.
ip dhcp snooping	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1531 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1531 and drafts thereof;
	RFC 1541 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1541 and drafts thereof;
	RFC 2131 – Dynamic Host Configuration Protocol (Mar. 1997), https://tools.ietf.org/html/rfc2131 and drafts thereof;
	RFC 3315 – Dynamic Host Configuration Protocol for IPv6 (DHCPv6) (July 2003), https://tools.ietf.org/html/rfc3315 and drafts thereof;
	RFC 4029 – Scenarios and Analysis for Introducing IPv6 into ISP Networks (Mar. 2005), https://tools.ietf.org/html/rfc4029 and drafts thereof.

	See also, e.g., RFC 2460, 3046, 3396, 4243, 4361, 6607, 6842, 7513.
ip dhcp snooping information option	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1531 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1531 and drafts thereof;
	RFC 1541 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1541 and drafts thereof;
	RFC 2131 – Dynamic Host Configuration Protocol (Mar. 1997), https://tools.ietf.org/html/rfc2131 and drafts thereof;
	RFC 3315 – Dynamic Host Configuration Protocol for IPv6 (DHCPv6) (July 2003), https://tools.ietf.org/html/rfc3315 and drafts thereof;
	RFC 4029 – Scenarios and Analysis for Introducing IPv6 into ISP Networks (Mar. 2005), https://tools.ietf.org/html/rfc4029 and drafts thereof.
	See also, e.g., RFC 2460, 3046, 3396, 4243, 4361, 6607, 6842, 7513.
ip dhcp snooping vlan	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1531 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1531 and drafts thereof;

	RFC 1541 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1541 and drafts thereof;
	RFC 2131 – Dynamic Host Configuration Protocol (Mar. 1997), https://tools.ietf.org/html/rfc2131 and drafts thereof;
	RFC 3315 – Dynamic Host Configuration Protocol for IPv6 (DHCPv6) (July 2003), https://tools.ietf.org/html/rfc3315 and drafts thereof;
	RFC 4029 – Scenarios and Analysis for Introducing IPv6 into ISP Networks (Mar. 2005), https://tools.ietf.org/html/rfc4029 and drafts thereof.
	See also, e.g., RFC 2460, 3046, 3396, 4243, 4361, 6607, 6842, 7513.
ip domain lookup	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1034 – DOMAIN NAMES - CONCEPTS AND FACILITIES (Nov. 1987), https://tools.ietf.org/html/rfc1034 and drafts thereof.
ip domain-name	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1034 – DOMAIN NAMES - CONCEPTS AND FACILITIES (Nov. 1987), https://tools.ietf.org/html/rfc1034 and drafts thereof.

ip extcommunity-list expanded	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1997 – BGP Communities Attribute (Aug. 1996), https://tools.ietf.org/html/rfc1997 and drafts thereof;
	RFC 4360 – BGP Extended Communities Attribute (Feb. 2006), https://tools.ietf.org/html/rfc4360 and drafts thereof.
	See also, e.g., RFC 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4456, 4760, 5065, 5881.
ip extcommunity-list standard	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1997 – BGP Communities Attribute (Aug. 1996), https://tools.ietf.org/html/rfc1997 and drafts thereof;
	RFC 4360 – BGP Extended Communities Attribute (Feb. 2006), https://tools.ietf.org/html/rfc4360 and drafts thereof.
	See also, e.g., RFC 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4456, 4760, 5065, 5881.
ip helper-address	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof.
ip host	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof.

ip http client source- interface	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1945 – Hypertext Transfer Protocol HTTP/1.0 (May 1996), https://tools.ietf.org/html/rfc1945 and drafts thereof.
ip icmp redirect	See, e.g., RFC 777 – Internet Control Message Protocol (Apr. 1981), https://tools.ietf.org/html/rfc777 and drafts thereof;
	RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 792 – Internet Control Message Protocol (Sept. 1981), https://tools.ietf.org/html/rfc792 and drafts thereof.
	See also, e.g., RFC 950, 4884, 6633, 6918.
ip igmp last-member- query-count	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .

ip igmp last-member- query-interval	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
ip igmp query-interval	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
ip igmp query-max- response-time	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;

	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
ip igmp snooping	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof;
	IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519.
ip igmp snooping querier	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;

	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof; RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts
	thereof; IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519.
ip igmp snooping vlan	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof;
	IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519.

ip igmp snooping vlan immediate-leave	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof;
	IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519.
ip igmp snooping vlan mrouter	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof;
	IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .

See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519.
See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof;
IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519.
See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.

	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
ip igmp startup-query- interval	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 988, 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
ip igmp static-group	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986), https://tools.ietf.org/html/rfc988 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.

	See also, e.g., RFC 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
ip igmp version	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986), https://tools.ietf.org/html/rfc988 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
ip load-sharing	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof.
ip local-proxy-arp	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 826 – An Ethernet Address Resolution Protocol or Converting Network Protocol Addresses (Nov. 1982), https://tools.ietf.org/html/rfc826 and drafts thereof;

	RFC 1027 – Using ARP to Implement Transparent Subnet Gateways (Oct. 1987), https://tools.ietf.org/html/rfc1027 and drafts thereof.
	See also, e.g., RFC 925, 1009, 1620, 5227, 5494.
ip msdp cache-sa-state	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip msdp default-peer	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).

	See also, e.g., RFC 4611, 4624.
ip msdp description	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip msdp group-limit	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip msdp keepalive	See, e.g., RFC 791 – Internet Protocol (Sept. 1981),

	1
	https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip msdp mesh-group	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 06 issued on July 2000) (https://tools.ietf.org/html/draft-ietf-msdp-spec-06).
	See also, e.g., RFC 4611, 4624.
ip msdp originator-id	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);

	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip msdp peer	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip msdp sa-filter in	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).

	See also, e.g., RFC 4611, 4624.
ip msdp sa-filter out	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip msdp sa-limit	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip msdp shutdown	See, e.g., RFC 791 – Internet Protocol (Sept. 1981),

	https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip msdp timer	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
ip multicast boundary	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof.
ip multicast-routing	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof.
ip name-server	See, e.g., RFC 791 – Internet Protocol (Sept. 1981),

	https://tools.ietf.org/html/rfc791 and drafts thereof.
	G PEG 701 - I 1 - (G 1001)
ip nat pool	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1347 – TCP and UDP with Bigger Addresses (TUBA), A Simple Proposal for Internet Addressing and Routing (June 1992), https://tools.ietf.org/html/rfc1347 and drafts thereof;
	RFC 2663 – IP Network Address Translator (NAT) Terminology and Considerations (Aug. 1999), https://tools.ietf.org/html/rfc2663 and drafts thereof;
	RFC 4008 – Definitions of Managed Objects for Network Address Translators (NAT) (Mar. 2005), https://tools.ietf.org/html/rfc4008 and drafts thereof.
ip nat translation tep- timeout	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1347 – TCP and UDP with Bigger Addresses (TUBA), A Simple Proposal for Internet Addressing and Routing (June 1992), https://tools.ietf.org/html/rfc1347 and drafts thereof;
	RFC 2663 – IP Network Address Translator (NAT) Terminology and Considerations (Aug. 1999), https://tools.ietf.org/html/rfc2663 and drafts thereof;
	RFC 4008 – Definitions of Managed Objects for Network Address Translators (NAT) (Mar. 2005), https://tools.ietf.org/html/rfc4008 and drafts thereof.
ip nat translation udp- timeout	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;

	1
	RFC 1347 – TCP and UDP with Bigger Addresses (TUBA), A Simple Proposal for Internet Addressing and Routing (June 1992), https://tools.ietf.org/html/rfc1347 and drafts thereof;
	RFC 2663 – IP Network Address Translator (NAT) Terminology and Considerations (Aug. 1999), https://tools.ietf.org/html/rfc2663 and drafts thereof;
	RFC 4008 – Definitions of Managed Objects for Network Address Translators (NAT) (Mar. 2005), https://tools.ietf.org/html/rfc4008 and drafts thereof.
ip ospf authentication	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf authentication- key	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.

ip ospf bfd	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	"Bidirectional Forwarding Detection" Internet Drafts, IETF Network Working Group (June 2003), https://tools.ietf.org/html/draft-katz-ward-bfd-00 , and additional drafts dated August 2003 (https://tools.ietf.org/html/draft-katz-ward-bfd-01) and May 2004 (https://tools.ietf.org/html/draft-katz-ward-bfd-02);
	RFC 5880 – Bidirectional Forwarding Detection (BFD) (June 2010), https://tools.ietf.org/html/rfc5880 and drafts thereof;
	RFC 5881 – Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop) (June 2010), https://tools.ietf.org/html/rfc5881 and drafts thereof;
	RFC 7331 – Bidirectional Forwarding Detection (BFD) Management Information Base (Aug. 2014), https://tools.ietf.org/html/rfc7331 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf cost	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991),

	https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf dead-interval	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf hello-interval	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf message-digest- key	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;

	RFC 2328 – OSPF Version 2 (Apr. 1998), https://tools.ietf.org/html/rfc1998 and drafts thereof;
	RFC 5709 – OSPFv2 HMAC-SHA Cryptographic Authentication (Oct. 2009), https://tools.ietf.org/html/rfc5709 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf name-lookup	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf network	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf priority	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;

	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf retransmit- interval	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf shutdown	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip ospf transmit-delay	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991),

	https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
ip pim anycast-rp	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof;
	RFC 3446 – Anycast Rendevous Point (RP) mechanism using Protocol Independent Multicast (PIM) and Multicast Source Discovery Protocol (MSDP) (Jan. 2003), https://tools.ietf.org/html/rfc3446 and drafts thereof;
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof;
	RFC 4610 – Anycast-RP Using Protocol Independent Multicast (PIM) (Aug. 2006), https://tools.ietf.org/html/rfc4610 and drafts thereof;
	RFC 4611 – Multicast Source Discovery Protocol (MSDP) Deployment Scenarios (Aug. 2006), https://tools.ietf.org/html/rfc4611 and drafts thereof.

	See also, e.g., RFC 1112, 2934, 3569, 4601, 5060, 6513; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim bfd	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof;
	RFC 5880 – Bidirectional Forwarding Detection (BFD) (June 2010), https://tools.ietf.org/html/rfc5880 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet Draft – Bidirectional Forwarding Detection (June 2003), https://tools.ietf.org/html/draft-katz-ward-bfd-00 and additional drafts dated August 2003 and May 2004; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim bfd-instance	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode

	(PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof;
	RFC 5880 – Bidirectional Forwarding Detection (BFD) (June 2010), https://tools.ietf.org/html/rfc5880 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet Draft – Bidirectional Forwarding Detection (June 2003), https://tools.ietf.org/html/draft-katz-ward-bfd-00 and additional drafts dated August 2003 and May 2004; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim bsr-border	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-

	ietf-idmr-pim-arch-01 and later drafts.
ip pim bsr-candidate	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim dr-priority	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof;
	RFC 3973 – Protocol Independent Multicast - Dense Mode (PIM-DM): Protocol Specification (Revised) (Jan. 2005),

	https://tools.ietf.org/html/rfc3973 and drafts thereof;
	RFC 5060 – Protocol Independent Multicast MIB (Jan. 2008), https://tools.ietf.org/html/rfc5060 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5880, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim log-neighbor- changes	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5880, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim neighbor-filter	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;

	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5880, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim query-interval	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim register-source	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;

	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim rp-address	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5880, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and

	later drafts.
ip pim rp-candidate	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5880, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim sparse-mode	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5880, 5881, 6513, 7331, 7419; IETF

	Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim spt-threshold	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5880, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim spt-threshold group-list	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.

	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5880, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip pim ssm range	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof;
	RFC 3569 – An Overview of Source-Specific Multicast (SSM) (July 2003), https://tools.ietf.org/html/rfc3569 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3618, 4601, 4610, 4611, 5060, 5880, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
ip prefix-list	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof.
ip protocol	See, e.g., RFC 791 – Internet Protocol (Sept. 1981),

	https://tools.ietf.org/html/rfc791 and drafts thereof.
ip proxy-arp	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 826 – An Ethernet Address Resolution Protocol or Converting Network Protocol Addresses (Nov. 1982), https://tools.ietf.org/html/rfc826 and drafts thereof;
	RFC 1027 – Using ARP to Implement Transparent Subnet Gateways (Oct. 1987), https://tools.ietf.org/html/rfc1027 and drafts thereof.
	See also, e.g., RFC 925, 1009, 1620, 5227, 5494.
ip radius source- interface	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2058 – Remote Authentication Dial In User Service (RADIUS) (Jan. 1997), https://tools.ietf.org/html/rfc2058 and drafts thereof;
	RFC 2865 – Remote Authentication Dial In User Service (RADIUS) (June 2000), https://tools.ietf.org/html/rfc2865 and drafts thereof.
	See also, e.g., RFC 1514, 2619, 2869, 3576.
ip rip v2-broadcast	See, e.g., RFC 1058 – Routing Information Protocol (June 1988), https://tools.ietf.org/html/rfc1058 and drafts thereof;
	RFC 1388 – RIP Version 2 Carrying Additional Information (Jan. 1993), https://tools.ietf.org/html/rfc1388 and drafts

	thereof.
ip route	See also, e.g., RFC 1723, 2082, 2453, 4822. See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1009 – Requirements for Internet Gateways (June 1987), https://tools.ietf.org/html/rfc1009 and drafts thereof;
	RFC 1066 – Management Information Base for Network Management of TCP/IP-based internets (Aug. 1988), https://tools.ietf.org/html/rfc1066 and drafts thereof;
	RFC 1812 – Requirements for IP Version 4 Routers (June 1995).
ip routing	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1009 – Requirements for Internet Gateways (June 1987), https://tools.ietf.org/html/rfc1009 and drafts thereof;
	RFC 1066 – Management Information Base for Network Management of TCP/IP-based internets (Aug. 1988), https://tools.ietf.org/html/rfc1066 and drafts thereof;
	RFC 1812 – Requirements for IP Version 4 Routers (June 1995).
ip tacacs source- interface	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;

	RFC 1492 – An Access Control Protocol, Sometimes Called TACACS (July 1993), https://tools.ietf.org/html/rfc1492 and drafts thereof.
ipv6 access-group	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 1636 – Report of IAB Workshop on Security in the Internet Architecture (June 1994), https://tools.ietf.org/html/rfc1636 and drafts thereof;
	RFC 1983 – Internet Users' Glossary (Aug. 1996), https://tools.ietf.org/html/rfc1983 and drafts thereof.
	See also, e.g., RFC 2086, 4949.
ipvб access-list	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 1636 – Report of IAB Workshop on Security in the Internet Architecture (June 1994), https://tools.ietf.org/html/rfc1636 and drafts thereof;

	RFC 1983 – Internet Users' Glossary (Aug. 1996), https://tools.ietf.org/html/rfc1983 and drafts thereof. See also, e.g., RFC 2086, 4949.
ipv6 address	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2373 – IP Version 6 Addressing Architecture (July 1998), https://tools.ietf.org/html/rfc2373 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof.
ipv6 dhcp relay destination	ee, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 3315 – Dynamic Host Configuration Protocol for IPv6 (DHCPv6) (July 2003), https://tools.ietf.org/html/rfc3315 and drafts thereof.
	See also, e.g., RFC 1531, 1541, 2131, 3046, 3396, 4029, 4243, 4361, 5494, 6842, 6607, 7513.
ipv6 enable	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883

	T
	and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof.
ipv6 host	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof.
ipv6 nd managed- config-flag	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6) (Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof.
	See also, e.g., RFC 4861.
ipv6 nd ns-interval	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883

	and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6) (Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof.
	See also, e.g., RFC 4861.
ipv6 nd other-config- flag	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6) (Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof.

	See also, e.g., RFC 4861.
ipv6 nd prefix	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6) (Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof.
	See also, e.g., RFC 4861.
ipv6 nd ra interval	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;

	1
	RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6) (Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof. See also, e.g., RFC 4861.
	See also, e.g., KPC 4001.
ipv6 nd ra lifetime	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6) (Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof.
	See also, e.g., RFC 4861.
ipv6 nd ra suppress	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;

	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof; RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6) (Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof.
	See also, e.g., RFC 4861.
ipv6 nd reachable-time	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6) (Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof.
	See also, e.g., RFC 4861.
ipv6 nd router- preference	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;

	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof; RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof; RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6)
	(Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof. See also, e.g., RFC 4861.
ipv6 neighbor	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2461 – Neighbor Discovery for IP Version 6 (IPv6) (Dec. 1998), https://tools.ietf.org/html/rfc2461 and drafts thereof.
	See also, e.g., RFC 4861.

ipv6 ospf area	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
ipv6 ospf cost	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.

See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;

	1
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
ipv6 ospf network	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
ipv6 ospf priority	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
-	1

	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
ipv6 ospf retransmit- interval	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
ipv6 ospf transmit-delay	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;

	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
ipv6 prefix-list	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof.
ipv6 route	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1933 – Transition Mechanisms for IPv6 Hosts and Routers (Apr. 1996), https://tools.ietf.org/html/rfc1933 and drafts thereof;

	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof; RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof.
	See also RFC 1009, 1812.
ipv6 router ospf	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
ipv6 unicast-routing	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;

	RFC 1887 – An Architecture for IPv6 Unicast Address Allocation (Dec. 1995), https://tools.ietf.org/html/rfc1887 and drafts thereof;
	RFC 2073 – An IPv6 Provider-Based Unicast Address Format (Jan. 1997), https://tools.ietf.org/html/rfc2073 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	IETF Internet Draft – Dynamical routing (unicast and multicast) for the IPv6 protocol (1997), https://tools.ietf.org/html/draft-fritsche-ipv6-multicast-00 and later drafts.
	See also, e.g., RFC 2374, 2622, 4012, 4193, 5375.
isis hello-interval	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
	See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).

	1
isis hello-multiplier	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
	See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
isis lsp-interval	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
	See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
isis metric	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
	See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing

	information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
isis passive	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
	See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
isis passive-interface	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
	See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).

See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
See, e.g., IEEE Std 802.3ad-2000 – IEEE Standard for Information Technology - Local and Metropolitan Area Networks - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications-Aggregation of Multiple Link Segments (Mar. 2000);

	IEEE Std 802.1AX-2008 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Nov. 2008);
	IEEE 802.1AX-2014 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Oct. 2015).
lacp rate	See, e.g., IEEE Std 802.3ad-2000 – IEEE Standard for Information Technology - Local and Metropolitan Area Networks - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications-Aggregation of Multiple Link Segments (Mar. 2000);
	IEEE Std 802.1AX-2008 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Nov. 2008);
	IEEE 802.1AX-2014 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Oct. 2015).
lacp system-priority	See, e.g., IEEE Std 802.3ad-2000 – IEEE Standard for Information Technology - Local and Metropolitan Area Networks - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications-Aggregation of Multiple Link Segments (Mar. 2000);
	IEEE Std 802.1AX-2008 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Nov. 2008);
	IEEE 802.1AX-2014 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Oct. 2015).
lldp holdtime	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (May 2005);

	IEEE Std 802.1AB-2009 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (July 2009.
lldp receive	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (May 2005);
	IEEE Std 802.1AB-2009 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (July 2009.
lldp reinit	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (May 2005);
	IEEE Std 802.1AB-2009 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (July 2009.
lldp run	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (May 2005);
	IEEE Std 802.1AB-2009 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (July 2009.
lldp timer	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (May 2005);
	IEEE Std 802.1AB-2009 – IEEE Standard for Local and metropolitan area networks—Station and Media Access

	Control Connectivity Discovery (July 2009.
lldp tlv-select	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (May 2005);
	IEEE Std 802.1AB-2009 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (July 2009.
lldp transmit	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (May 2005);
	IEEE Std 802.1AB-2009 – IEEE Standard for Local and metropolitan area networks—Station and Media Access Control Connectivity Discovery (July 2009.
mac access-group	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984);
	ANSI X3.139-1987;
	IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and

	metropolitan area networks: Media Access Control (MAC) Bridges.
mac access-list	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984);
	ANSI X3.139-1987;
	IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	See also, e.g., RFC 1636, 1983, 2086, 4949.
mac-address	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984);
	ANSI X3.139-1987;

	IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges.
mac-address-table aging-time	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984);
	ANSI X3.139-1987;
	IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges.

mac-address-table static	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984);
	ANSI X3.139-1987;
	IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges.
maximum-paths	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340.
maximum-paths (OSPFv3)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008),

	https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
	, ,
neighbor activate	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor allowas-in	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor default- originate	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;

	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor description	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor ebgp-multihop	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.

neighbor fall-over bfd	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	"Bidirectional Forwarding Detection" Internet Drafts, IETF Network Working Group (June 2003), https://tools.ietf.org/html/draft-katz-ward-bfd-00 , and additional drafts dated August 2003 (https://tools.ietf.org/html/draft-katz-ward-bfd-01) and May 2004 (https://tools.ietf.org/html/draft-katz-ward-bfd-02);
	RFC 5880 – Bidirectional Forwarding Detection (BFD) (June 2010), https://tools.ietf.org/html/rfc5880 and drafts thereof;
	RFC 5881 – Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop) (June 2010), https://tools.ietf.org/html/rfc5881 and drafts thereof;
	RFC 7331 – Bidirectional Forwarding Detection (BFD) Management Information Base (Aug. 2014), https://tools.ietf.org/html/rfc7331 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor local-as	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;

	RFC 1269 – Definitions of Managed Objects for the Border Gateway Protocol (Version 3) (Oct. 1991), https://tools.ietf.org/html/rfc1269 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor next-hop-self	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 4271– A Border Gateway Protocol 4 (BGP-4) (Jan. 2006), https://tools.ietf.org/html/rfc4271 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor password	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 2385 – Protection of BGP Sessions via the TCP MD5 Signature Option (Aug. 1998), https://tools.ietf.org/html/rfc2385 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.

neighbor peer-group (assigning members)	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor peer-group (creating)	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor remote-as	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1269 – Definitions of Managed Objects for the Border Gateway Protocol (Version 3) (Oct. 1991), https://tools.ietf.org/html/rfc1269 and drafts thereof.

	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor remove- private-as	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor route-map	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor route-reflector- client	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;

	T
	RFC 1966 – BGP Route Reflection - An Alternative to Full Mesh IBGP (June 1996), https://tools.ietf.org/html/rfc1966 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor send- community	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1998 – An Application of the BGP Community Attribute in Multi-home Routing (Aug. 1996), https://tools.ietf.org/html/rfc1998 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor shutdown	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.

neighbor soft- reconfiguration	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 2918 – Route Refresh Capability for BGP-4 (Sept. 2000), https://tools.ietf.org/html/rfc2918 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor timers	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1966 – BGP Route Reflection - An Alternative to Full Mesh IBGP (June 1996), https://tools.ietf.org/html/rfc1966 and drafts thereof;
	RFC 1771 – A Border Gateway Protocol 4 (BGP-4) (Mar. 1995), https://tools.ietf.org/html/rfc1771 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1774, 1965, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor transport connection-mode	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 4271 – A Border Gateway Protocol 4 (BGP-4) (Jan. 2006), https://tools.ietf.org/html/rfc4271 and drafts thereof.

·	
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor update-source	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
neighbor weight	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1268 – Application of the Border Gateway Protocol in the Internet (Oct. 1991), https://tools.ietf.org/html/rfc1268 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
ntp authenticate	See, e.g., RFC 958 – Network Time Protocol (NTP) (Sept. 1985), https://tools.ietf.org/html/rfc958 and drafts thereof;
	RFC 1119 – Network Time Protocol (Version 2) Specification and Implementation (Sept. 1989), https://tools.ietf.org/html/rfc1119 and drafts thereof.

	1
	See also, e.g., RFC 778, 781, 956, 1059, 1305, 5905, 5907.
ntp authentication-key	See, e.g., RFC 958 – Network Time Protocol (NTP) (Sept. 1985), https://tools.ietf.org/html/rfc958 and drafts thereof;
	RFC 1119 – Network Time Protocol (Version 2) Specification and Implementation (Sept. 1989), https://tools.ietf.org/html/rfc1119 and drafts thereof.
	See also, e.g., RFC 778, 781, 956, 1059, 1305, 5905, 5907.
ntp server	See, e.g., RFC 958 – Network Time Protocol (NTP) (Sept. 1985), https://tools.ietf.org/html/rfc958 and drafts thereof;
	RFC 1119 – Network Time Protocol (Version 2) Specification and Implementation (Sept. 1989), https://tools.ietf.org/html/rfc1119 and drafts thereof.
	See also, e.g., RFC 778, 781, 956, 1059, 1305, 5905, 5907.
ntp source	See, e.g., RFC 958 – Network Time Protocol (NTP) (Sept. 1985), https://tools.ietf.org/html/rfc958 and drafts thereof;
	RFC 1119 – Network Time Protocol (Version 2) Specification and Implementation (Sept. 1989), https://tools.ietf.org/html/rfc1119 and drafts thereof.
	See also, e.g., RFC 778, 781, 956, 1059, 1305, 5905, 5907.
ntp trusted-key	See, e.g., RFC 958 – Network Time Protocol (NTP) (Sept. 1985), https://tools.ietf.org/html/rfc958 and drafts thereof;

	RFC 1119 – Network Time Protocol (Version 2) Specification and Implementation (Sept. 1989), https://tools.ietf.org/html/rfc1119 and drafts thereof. See also, e.g., RFC 778, 781, 956, 1059, 1305, 5905, 5907.
ptp domain	See, e.g., IEEE 1588-2002 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Nov. 2002);
	IEEE 1588-2008 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Mar. 2008).
ptp priority1	See, e.g., IEEE 1588-2002 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Nov. 2002);
	IEEE 1588-2008 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Mar. 2008).
ptp priority2	See, e.g., IEEE 1588-2002 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Nov. 2002);
	IEEE 1588-2008 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Mar. 2008).
ptp sync interval	See, e.g., IEEE 1588-2002 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Nov. 2002);

	IEEE 1588-2008 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Mar. 2008).
radius-server deadtime	See, e.g., RFC 2058 – Remote Authentication Dial In User Service (RADIUS) (Jan. 1997), https://tools.ietf.org/html/rfc2058 and drafts thereof;
	RFC 2865 – Remote Authentication Dial In User Service (RADIUS) (June 2000), https://tools.ietf.org/html/rfc2865 and drafts thereof.
	See also, e.g., RFC 791, 1514, 2619, 2869, 3576.
radius-server host	See, e.g., RFC 2058 – Remote Authentication Dial In User Service (RADIUS) (Jan. 1997), https://tools.ietf.org/html/rfc2058 and drafts thereof;
	RFC 2865 – Remote Authentication Dial In User Service (RADIUS) (June 2000), https://tools.ietf.org/html/rfc2865 and drafts thereof.
	See also, e.g., RFC 791, 1514, 2619, 2869, 3576.
radius-server key	See, e.g., RFC 2058 – Remote Authentication Dial In User Service (RADIUS) (Jan. 1997), https://tools.ietf.org/html/rfc2058 and drafts thereof;
	RFC 2865 – Remote Authentication Dial In User Service (RADIUS) (June 2000), https://tools.ietf.org/html/rfc2865 and drafts thereof.
	See also, e.g., RFC 791, 1514, 2619, 2869, 3576.
radius-server retransmit	See, e.g., RFC 2058 – Remote Authentication Dial In User Service (RADIUS) (Jan. 1997),

	https://tools.ietf.org/html/rfc2058 and drafts thereof;
	RFC 2865 – Remote Authentication Dial In User Service (RADIUS) (June 2000), https://tools.ietf.org/html/rfc2865 and drafts thereof.
	See also, e.g., RFC 791, 1514, 2619, 2869, 3576.
radius-server timeout	See, e.g., RFC 2058 – Remote Authentication Dial In User Service (RADIUS) (Jan. 1997), https://tools.ietf.org/html/rfc2058 and drafts thereof;
	RFC 2865 – Remote Authentication Dial In User Service (RADIUS) (June 2000), https://tools.ietf.org/html/rfc2865 and drafts thereof.
	See also, e.g., RFC 791, 1514, 2619, 2869, 3576.
router bgp	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	See also, e.g., RFC 791, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
router isis	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
	See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network

	Service (ISO 8473)" (First Ed., Nov. 1992); • ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
router ospf	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1131 – The OSPF Specification (Oct. 1989), https://tools.ietf.org/html/rfc1131 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.

router rip	See, e.g., RFC 1058 – Routing Information Protocol (June 1988), https://tools.ietf.org/html/rfc1058 and drafts thereof;
	RFC 1388 – RIP Version 2 Carrying Additional Information (Jan. 1993), https://tools.ietf.org/html/rfc1388 and drafts thereof.
	See also, e.g., RFC 1723, 2082, 2453, 4822.
router-id	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
router-id (OSPFv3)	See, e.g., RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
routing-context vrf	See, e.g., IETF Internet Draft 00 – BGP/MPLS VPNs (Mar. 2000), https://tools.ietf.org/html/draft-rosen-rfc2547bis-00 ;
	RFC 4364 – BGP/MPLS IP Virtual Private Networks (VPNs) (Feb. 2006), https://tools.ietf.org/html/rfc4364 and drafts thereof.

	See also, e.g., RFC 2547, 4026.
set-overload-bit	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof;
	RFC 3787 – Recommendations for Interoperable IP Networks using Intermediate System to Intermediate System (IS-IS) (May 2004), https://tools.ietf.org/html/rfc3787 and drafts thereof.
	See also, e.g., ISO 10589 (all versions).
show aaa method-lists	See, e.g., RFC 2903 – Generic AAA Architecture (Aug. 2000), https://tools.ietf.org/html/rfc2903 and drafts thereof;
	Lagsford et. al., "OSI Management and Job Transfer Services," Proceedings of the IEEE, Volume 71, No. 12, December 1983.
	See also, e.g., RFC 6733, 6065, 3580, 2989, 2924, 2865, 2138, 2058, 1492, The TACACS+ Protocol (Jan. 1997), https://tools.ietf.org/html/draft-grant-tacacs-02 , and drafts thereof.
show aaa sessions	See, e.g., RFC 2903 – Generic AAA Architecture (Aug. 2000), https://tools.ietf.org/html/rfc2903 and drafts thereof;
	RFC 2989 – Criteria for Evaluating AAA Protocols for Network Access (Nov. 2000), https://tools.ietf.org/html/rfc2989 and drafts thereof;
	RFC 6065 – Using Authentication, Authorization, and Accounting Services to Dynamically Provision View-Based

	Access Control Model User-to-Group Mappings (Dec. 2010), https://tools.ietf.org/html/rfc6065 and drafts thereof;
	Lagsford et. al., "OSI Management and Job Transfer Services," Proceedings of the IEEE, Volume 71, No. 12, December 1983.
	See also, e.g., RFC 6733, 3580, 2924, 2865, 2138, 2058, 1492, The TACACS+ Protocol (Jan. 1997), https://tools.ietf.org/html/draft-grant-tacacs-02 , and drafts thereof.
show arp	See, e.g., RFC 826 – An Ethernet Address Resolution Protocol or Converting Network Protocol Addresses (Nov. 1982), https://tools.ietf.org/html/rfc826 and drafts thereof;
	RFC 925 – Multi-LAN Address Resolution (Oct. 1984), https://tools.ietf.org/html/rfc925 and drafts thereof.
	See also, e.g., RFC 5494, 5227, 1620, 1027, 1009.
show bfd neighbors	See, e.g., "Bidirectional Forwarding Detection" Internet Drafts, IETF Network Working Group (June 2003), https://tools.ietf.org/html/draft-katz-ward-bfd-00 , and additional drafts dated August 2003 (https://tools.ietf.org/html/draft-katz-ward-bfd-01) and May 2004 (https://tools.ietf.org/html/draft-katz-ward-bfd-02);
	RFC 5880 – Bidirectional Forwarding Detection (BFD) (June 2010), https://tools.ietf.org/html/rfc5880 and drafts thereof;
	RFC 5881 – Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop) (June 2010), https://tools.ietf.org/html/rfc5881 and drafts thereof;

T
RFC 7331 – Bidirectional Forwarding Detection (BFD) Management Information Base (Aug. 2014), https://tools.ietf.org/html/rfc7331 and drafts thereof.
See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011.
See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.
See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.
RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.
See, e.g., IEEE Std 802.1X-2001 Local and metropolitan area networks—Port-Based Network Access Control (Sept. 2001), and subsequent versions of the standard, including 802.1X-2004 and 802.1X-2010.

	RFC 3580 – IEEE 802.1X Remote Authentication Dial In User Service (RADIUS) Usage Guidelines (Sept. 2003), https://tools.ietf.org/html/rfc3580 and drafts thereof.
show interfaces flowcontrol	See, e.g., IEEE Std 802.3x-1997 – IEEE Standards for Local and Metropolitan Area Networks: Specification for 802.3 Full Duplex Operation (Mar. 1997).
show ip access-lists	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1636 – Report of IAB Workshop on Security in the Internet Architecture (June 1994), https://tools.ietf.org/html/rfc1636 and drafts thereof;
	RFC 1983 – Internet Users' Glossary (Aug. 1996), https://tools.ietf.org/html/rfc1983 and drafts thereof.
	See also, e.g., RFC 2086, 4949.
show ip arp	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 826 – An Ethernet Address Resolution Protocol or Converting Network Protocol Addresses (Nov. 1982), https://tools.ietf.org/html/rfc826 and drafts thereof;
	RFC 925 – Multi-LAN Address Resolution (Oct. 1984), https://tools.ietf.org/html/rfc925 and drafts thereof.
	See also, e.g., RFC 5494, 5227, 1620, 1027, 1009.
show ip bgp	See, e.g., RFC 791 – Internet Protocol (Sept. 1981),

	T
	https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof.
	See also, e.g., RFC 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ip bgp community	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1997 – BGP Communities Attribute (Aug. 1996), https://tools.ietf.org/html/rfc1997 and drafts thereof.
	See also, e.g., RFC 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ip bgp neighbors	See, e.g., RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.

show ip bgp paths	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof;
	RFC 1267 – A Border Gateway Protocol 3 (BGP-3) (Oct. 1991), https://tools.ietf.org/html/rfc1267 and drafts thereof.
	RFC 1654 – A Border Gateway Protocol 4 (BGP-4) (July 1994), https://tools.ietf.org/html/rfc1654 and drafts thereof.
	See also, e.g., RFC 1163, 1164, 1265, 1268, 1269, 1397, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ip bgp peer-group	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof.
	See also, e.g., RFC 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ip bgp regexp	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof.

	See also, e.g., RFC 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ip bgp summary	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1105 – A Border Gateway Protocol (BGP) (June 1989), https://tools.ietf.org/html/rfc1105 and drafts thereof.
	See also, e.g., RFC 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ip community-list	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1997 – BGP Communities Attribute (Aug. 1996), https://tools.ietf.org/html/rfc1997 and drafts thereof.
	See also, e.g., RFC 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ip dhcp snooping	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1531 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1531 and drafts thereof;

	RFC 1541 – Dynamic Host Configuration Protocol (Oct. 1993), https://tools.ietf.org/html/rfc1541 and drafts thereof;
	RFC 2131 – Dynamic Host Configuration Protocol (Mar. 1997), https://tools.ietf.org/html/rfc2131 and drafts thereof;
	RFC 3315 – Dynamic Host Configuration Protocol for IPv6 (DHCPv6) (July 2003), https://tools.ietf.org/html/rfc3315 and drafts thereof;
	RFC 4029 – Scenarios and Analysis for Introducing IPv6 into ISP Networks (Mar. 2005), https://tools.ietf.org/html/rfc4029 and drafts thereof.
	See also, e.g., RFC 2460, 3046, 3396, 4243, 4361, 6607, 6842, 7513.
show ip extcommunity- list	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1997 – BGP Communities Attribute (Aug. 1996), https://tools.ietf.org/html/rfc1997 and drafts thereof;
	RFC 4360 – BGP Extended Communities Attribute (Feb. 2006), https://tools.ietf.org/html/rfc4360 and drafts thereof.
	See also, e.g., RFC 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1998, 2283, 2385, 2460, 2545, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4456, 4760, 5065, 5881.

	1
show ip helper-address	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof.
show ip igmp groups	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986), https://tools.ietf.org/html/rfc988 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
show ip igmp interface	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986), https://tools.ietf.org/html/rfc988 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts

	thereof.
	See also, e.g., RFC 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
show ip igmp snooping	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986), https://tools.ietf.org/html/rfc988 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
show ip igmp snooping groups	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986), https://tools.ietf.org/html/rfc988 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;

	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
show ip igmp snooping mrouter	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986), https://tools.ietf.org/html/rfc988 and drafts thereof;
	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
show ip igmp snooping querier	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 988 – Host Extensions for IP Multicasting (July 1986), https://tools.ietf.org/html/rfc988 and drafts thereof;

	RFC 1112 – Host Extensions for IP Multicasting (Aug. 1989) (IGMP Version 1), https://tools.ietf.org/html/rfc1112 and drafts thereof;
	RFC 2236 – Internet Group Management Protocol, Version 2 (Nov. 1997), https://tools.ietf.org/html/rfc2236 and drafts thereof.
	See also, e.g., RFC 2933, 3376, 4286, 4541, 4606, 5519, IETF Internet Draft – "IGMPv3 and IGMP Snooping switches" (Aug. 2001), https://tools.ietf.org/html/draft-ietf-idmr-snoop-00 .
show ip interface	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof.
show ip interface brief	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof.
show ip mfib	See, e.g., RFC 4601 – Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised) (Aug. 2006), https://tools.ietf.org/html/rfc4601 and drafts thereof;
	RFC 5015 – Bidirectional Protocol Independent Multicast (BIDIR-PIM) (Oct. 2007), https://tools.ietf.org/html/rfc5015 and drafts thereof.
show ip mroute	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2932 – IPv4 Multicast Routing MIB (Oct. 2000), https://tools.ietf.org/html/rfc2932 and drafts thereof.
show ip mfib	https://tools.ietf.org/html/rfc791 and drafts thereof. See, e.g., RFC 4601 – Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised (Aug. 2006), https://tools.ietf.org/html/rfc4601 and drafts thereof; RFC 5015 – Bidirectional Protocol Independent Multicast (BIDIR-PIM) (Oct. 2007), https://tools.ietf.org/html/rfc50 and drafts thereof. See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof; RFC 2932 – IPv4 Multicast Routing MIB (Oct. 2000),

	See also, e.g., RFC 2236, 2191, 2121, 1112.
show ip mroute count	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2932 – IPv4 Multicast Routing MIB (Oct. 2000), https://tools.ietf.org/html/rfc2932 and drafts thereof.
	See also, e.g., RFC 2236, 2191, 2121, 1112.
show ip msdp mesh- group	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 06 issued on July 2000) (https://tools.ietf.org/html/draft-ietf-msdp-spec-06).
	See also, e.g., RFC 4611, 4624.
show ip msdp peer	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);

	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
show ip msdp rpf-peer	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
show ip msdp sa-cache	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).

	See also, e.g., RFC 4611, 4624.
show ip msdp summary	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	IETF Internet Draft – Multicast Source Discovery Protocol (MSDP) (June 25, 1998) (http://tools.ietf.org/id/draft-farinacci-msdp-00.txt);
	RFC 3618 – Multicast Source Discovery Protocol (MSDP) (Oct. 2003), https://tools.ietf.org/html/rfc3618 and drafts thereof, including Internet Draft 00 issued on Dec. 1999) (https://tools.ietf.org/html/draft-ietf-msdp-spec-00).
	See also, e.g., RFC 4611, 4624.
show ip nat translations	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1347 – TCP and UDP with Bigger Addresses (TUBA), A Simple Proposal for Internet Addressing and Routing (June 1992), https://tools.ietf.org/html/rfc1347 and drafts thereof;
	RFC 2663 – IP Network Address Translator (NAT) Terminology and Considerations (Aug. 1999), https://tools.ietf.org/html/rfc2663 and drafts thereof;
	RFC 4008 – Definitions of Managed Objects for Network Address Translators (NAT) (Mar. 2005), https://tools.ietf.org/html/rfc4008 and drafts thereof.

show ip ospf	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1131 – The OSPF Specification (Oct. 1989), https://tools.ietf.org/html/rfc1131 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
show ip ospf border- routers	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1131 – The OSPF Specification (Oct. 1989), https://tools.ietf.org/html/rfc1131 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
show ip ospf database database-summary	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1131 – The OSPF Specification (Oct. 1989), https://tools.ietf.org/html/rfc1131 and drafts thereof;

	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
show ip ospf interface	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1131 – The OSPF Specification (Oct. 1989), https://tools.ietf.org/html/rfc1131 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 2328 – OSPF Version 2 (Apr. 1998), https://tools.ietf.org/html/rfc2328 and drafts thereof.
	See also, e.g., RFC 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2740, 2991, 3101, 5340, 5709.
show ip ospf neighbor	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1131 – The OSPF Specification (Oct. 1989), https://tools.ietf.org/html/rfc1131 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991),

	https://tools.ietf.org/html/rfc1247 and drafts thereof;
	RFC 2328 – OSPF Version 2 (Apr. 1998), https://tools.ietf.org/html/rfc2328 and drafts thereof.
	See also, e.g., RFC 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2740, 2991, 3101, 5340, 5709.
show ip ospf request-list	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1131 – The OSPF Specification (Oct. 1989), https://tools.ietf.org/html/rfc1131 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
	See also, e.g., RFC 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
show ip ospf retransmission-list	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1131 – The OSPF Specification (Oct. 1989), https://tools.ietf.org/html/rfc1131 and drafts thereof;
	RFC 1247 – OSPF Version 2 (July 1991), https://tools.ietf.org/html/rfc1247 and drafts thereof.
<u> </u>	<u> </u>

	See also, e.g., RFC 1245, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2740, 2991, 3101, 5340, 5709.
show ip pim interface	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
show ip pim neighbor	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet

	Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
show ip pim rp	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof;
	RFC 2934 – Protocol Independent Multicast MIB for IPv4 (Oct. 2000), https://tools.ietf.org/html/rfc2934 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
show ip pim rp-hash	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 2117 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1997), https://tools.ietf.org/html/rfc2117 and drafts thereof;
	RFC 2362 – Protocol Independent Multicast-Sparse Mode (PIM-SM): Protocol Specification (June 1998), https://tools.ietf.org/html/rfc2362 and drafts thereof;

	RFC 2934 – Protocol Independent Multicast MIB for IPv4 (Oct. 2000), https://tools.ietf.org/html/rfc2934 and drafts thereof.
	See also, e.g., RFC 1112, 2934, 3446, 3569, 3618, 4601, 4610, 4611, 5060, 5881, 6513, 7331, 7419; IETF Internet Draft – Protocol Independent Multicast (PIM): Motivation and Architecture (Jan. 1995), https://tools.ietf.org/html/draft-ietf-idmr-pim-arch-01 and later drafts.
show ip prefix-list	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof.
show ip rip database	See, e.g., RFC 1058 – Routing Information Protocol (June 1988), https://tools.ietf.org/html/rfc1058 and drafts thereof;
	RFC 1388 – RIP Version 2 Carrying Additional Information (Jan. 1993), https://tools.ietf.org/html/rfc1388 and drafts thereof.
	See also, e.g., RFC 1723, 2082, 2453, 4822.
show ip rip neighbors	See, e.g., RFC 1058 – Routing Information Protocol (June 1988), https://tools.ietf.org/html/rfc1058 and drafts thereof;
	RFC 1388 – RIP Version 2 Carrying Additional Information (Jan. 1993), https://tools.ietf.org/html/rfc1388 and drafts thereof.

	1
	See also, e.g., RFC 1723, 2082, 2453, 4822.
show ip route	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1009 – Requirements for Internet Gateways (June 1987), https://tools.ietf.org/html/rfc1009 and drafts thereof;
	RFC 1066 – Management Information Base for Network Management of TCP/IP-based internets (Aug. 1988), https://tools.ietf.org/html/rfc1066 and drafts thereof;
	RFC 1812 – Requirements for IP Version 4 Routers (June 1995).
show ip route summary	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;
	RFC 1009 – Requirements for Internet Gateways (June 1987), https://tools.ietf.org/html/rfc1009 and drafts thereof;
	RFC 1066 – Management Information Base for Network Management of TCP/IP-based internets (Aug. 1988), https://tools.ietf.org/html/rfc1066 and drafts thereof;
	RFC 1812 – Requirements for IP Version 4 Routers (June 1995).
show ip route tag	See, e.g., RFC 791 – Internet Protocol (Sept. 1981), https://tools.ietf.org/html/rfc791 and drafts thereof;

	RFC 1009 – Requirements for Internet Gateways (June 1987), https://tools.ietf.org/html/rfc1009 and drafts thereof;
	RFC 1066 – Management Information Base for Network Management of TCP/IP-based internets (Aug. 1988), https://tools.ietf.org/html/rfc1066 and drafts thereof;
	RFC 1812 – Requirements for IP Version 4 Routers (June 1995).
show ipv6 access-list	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 1636 – Report of IAB Workshop on Security in the Internet Architecture (June 1994), https://tools.ietf.org/html/rfc1636 and drafts thereof;
	RFC 1983 – Internet Users' Glossary (Aug. 1996), https://tools.ietf.org/html/rfc1983 and drafts thereof.
	See also, e.g., RFC 2086, 4949.
show ipv6 bgp	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification

	(Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2545 – Use of BGP-4 Multiprotocol Extensions for IPv6 Inter-Domain Routing (Mar. 1999), https://tools.ietf.org/html/rfc2545 and drafts thereof.
	See also, e.g., RFC 791, 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ipv6 bgp community	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1997 – BGP Communities Attribute (Aug. 1996), https://tools.ietf.org/html/rfc1997 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2545 – Use of BGP-4 Multiprotocol Extensions for IPv6 Inter-Domain Routing (Mar. 1999), https://tools.ietf.org/html/rfc2545 and drafts thereof.
	See also, e.g., RFC 791, 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1998, 2283, 2385, 2460, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ipv6 bgp neighbors	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
L	•

	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2545 – Use of BGP-4 Multiprotocol Extensions for IPv6 Inter-Domain Routing (Mar. 1999), https://tools.ietf.org/html/rfc2545 and drafts thereof;
	RFC 1164 – Application of the Border Gateway Protocol in the Internet (June 1990), https://tools.ietf.org/html/rfc1164 and drafts thereof.
	See also, e.g., RFC 791, 1105, 1163, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ipv6 bgp summary	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2545 – Use of BGP-4 Multiprotocol Extensions for IPv6 Inter-Domain Routing (Mar. 1999), https://tools.ietf.org/html/rfc2545 and drafts thereof;
	See also, e.g., RFC 791, 1105, 1163, 1164, 1265, 1267, 1268, 1269, 1397, 1654, 1655, 1657, 1771, 1774, 1965, 1966, 1997, 1998, 2283, 2385, 2460, 2796, 2858, 2918, 3065, 4098, 4271, 4273, 4360, 4456, 4760, 5065, 5881.
show ipv6 interface	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;

	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof.
show ipv6 neighbors	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug 1996);
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof.
	See also, e.g., RFC 791, 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 2178, 2328, 2991, 3101, 5340, 5709.
show ipv6 ospf	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008),

	https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
show ipv6 ospf border- routers	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
show ipv6 ospf interface	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999),

	https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
show ipv6 ospf neighbor	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
show ipv6 prefix-list	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts

	thereof;
	RFC 2740 – OSPF for IPv6 (Dec. 1999), https://tools.ietf.org/html/rfc2740 and drafts thereof;
	RFC 5340 – OSPF for IPv6 (July 2008), https://tools.ietf.org/html/rfc5340 and drafts thereof.
	See also, e.g., RFC 1131, 1245, 1247, 1248, 1252, 1253, 1364, 1370, 1403, 1583, 1587, 1745, 1812, 1850, 1970, 2178, 2328, 2991, 3101, 5709.
show ipv6 route	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1933 – Transition Mechanisms for IPv6 Hosts and Routers (Apr. 1996), https://tools.ietf.org/html/rfc1933 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof.
	See also RFC 1009, 1812.
show ipv6 route summary	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;

	RFC 1933 – Transition Mechanisms for IPv6 Hosts and Routers (Apr. 1996), https://tools.ietf.org/html/rfc1933 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof.
	See also RFC 1009, 1812.
show ipv6 route tag	See, e.g., RFC 1883 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1995), https://tools.ietf.org/html/rfc1883 and drafts thereof;
	RFC 1933 – Transition Mechanisms for IPv6 Hosts and Routers (Apr. 1996), https://tools.ietf.org/html/rfc1933 and drafts thereof;
	RFC 1970 – Neighbor Discovery for IP Version 6 (IPv6) (Aug. 1996), https://tools.ietf.org/html/rfc1970 and drafts thereof;
	RFC 2460 – Internet Protocol, Version 6 (IPv6) Specification (Dec. 1998), https://tools.ietf.org/html/rfc2460 and drafts thereof.
	See also RFC 1009, 1812.

show isis database	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.
	See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); • ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
show isis interface	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof;
	RFC 1195 – Use of OSI IS-IS for Routing in TCP/IP and Dual Environments (Dec. 1990), https://tools.ietf.org/html/rfc1195 and drafts thereof.
	See also, e.g., RFC 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); • ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
show isis topology	See, e.g., RFC 1142 – OSI IS-IS Intra-domain Routing Protocol (Feb. 1990), https://tools.ietf.org/html/rfc1142 and drafts thereof.

	,
	See also, e.g., RFC 1195, 1349, ISO/IEC 10589:1992 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (First Ed., Nov. 1992); • ISO/IEC 10589:2002 – International Organization for Standardization, "Intermediate system to Intermediate system intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode Network Service (ISO 8473)" (Second Ed., Nov. 2002).
show lacp counters	See, e.g., IEEE Std 802.3ad-2000 – IEEE Standard for Information Technology - Local and Metropolitan Area Networks - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications-Aggregation of Multiple Link Segments (Mar. 2000);
	IEEE Std 802.1AX-2008 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Nov. 2008);
	IEEE 802.1AX-2014 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Oct. 2015).
show lacp interface	See, e.g., IEEE Std 802.3ad-2000 – IEEE Standard for Information Technology - Local and Metropolitan Area Networks - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications-Aggregation of Multiple Link Segments (Mar. 2000);
	IEEE Std 802.1AX-2008 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Nov. 2008);

	IEEE 802.1AX-2014 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Oct. 2015);
	RFC 2233 – The Interfaces Group MIB using SMIv2 (Nov. 1997), https://tools.ietf.org/html/rfc2233 and drafts thereof.
show lacp neighbor	See, e.g., IEEE Std 802.3ad-2000 – IEEE Standard for Information Technology - Local and Metropolitan Area Networks - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications-Aggregation of Multiple Link Segments (Mar. 2000);
	IEEE Std 802.1AX-2008 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Nov. 2008);
	IEEE 802.1AX-2014 – IEEE Standard for Local and metropolitan area networks—Link Aggregation (Oct. 2015).
show lldp	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (May 2005);
	IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (Sept. 2009).
show lldp neighbors	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (May 2005);
	IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (Sept. 2009).

show lldp traffic	See, e.g., IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (May 2005);
	IEEE Std 802.1AB-2005 – IEEE Standard for Local and metropolitan area networks (Station and Media Access Control Connectivity Discovery) (Sept. 2009).
show mac access-lists	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984);
	ANSI X3.139-1987;
	IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	See also, e.g., RFC 1636, 1983, 2086, 4949.
show mac-address-table	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984);

	ANSI X3.139-1987;
	IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges.
show mac-address-table aging time	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984);
	ANSI X3.139-1987;
	IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges.

show mac-address-table count	See, e.g., IEEE Std 802.3-1985 – Local Area Networks: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) - (ETHERNET) (IEEE approved June 1983, ANSI approved Dec. 1984);
	ANSI X3.139-1987;
	IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges.
show ntp associations	See, e.g., RFC 958 – Network Time Protocol (NTP) (Sept. 1985), https://tools.ietf.org/html/rfc958 and drafts thereof;
	RFC 1119 – Network Time Protocol (Version 2) Specification and Implementation (Sept. 1989), https://tools.ietf.org/html/rfc1119 and drafts thereof;
	RFC 1305 – Network Time Protocol (Version 3) Specification, Implementation and Analysis (Mar. 1992), https://tools.ietf.org/html/rfc1305 and drafts thereof;
	RFC 5907 – Definitions of Managed Objects for Network Time Protocol Version 4 (NTPv4) (June 2010), https://tools.ietf.org/html/rfc5907 and drafts thereof.

	T
	See also, e.g., RFC 778, 781, 956, 1059, 5905.
show ntp status	See, e.g., RFC 958 – Network Time Protocol (NTP) (Sept. 1985), https://tools.ietf.org/html/rfc958 and drafts thereof;
	RFC 1119 – Network Time Protocol (Version 2) Specification and Implementation (Sept. 1989), https://tools.ietf.org/html/rfc1119 and drafts thereof;
	RFC 1305 – Network Time Protocol (Version 3) Specification, Implementation and Analysis (Mar. 1992), https://tools.ietf.org/html/rfc1305 and drafts thereof;
	RFC 5907 – Definitions of Managed Objects for Network Time Protocol Version 4 (NTPv4) (June 2010), https://tools.ietf.org/html/rfc5907 and drafts thereof.
	See also, e.g., RFC 778, 781, 956, 1059, 5905.
show ptp clock	See, e.g., IEEE 1588-2002 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Nov. 2002);
	IEEE 1588-2008 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Mar. 2008).
show ptp parent	See, e.g., IEEE 1588-2002 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Nov. 2002);

	IEEE 1588-2008 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Mar. 2008).
show ptp time-property	See, e.g., IEEE 1588-2002 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Nov. 2002);
	IEEE 1588-2008 – IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems (Mar. 2008).
show radius	See, e.g., RFC 2058 – Remote Authentication Dial In User Service (RADIUS) (Jan. 1997), https://tools.ietf.org/html/rfc2058 and drafts thereof;
	RFC 2865 – Remote Authentication Dial In User Service (RADIUS) (June 2000), https://tools.ietf.org/html/rfc2865 and drafts thereof.
	See also, e.g., RFC 791, 1514, 2619, 2869, 3576.
show snmp	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
show snmp chassis	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;

	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 2922 – Physical Topology MIB (Sept. 2000), https://tools.ietf.org/html/rfc2922 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
show snmp community	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
show snmp contact	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 3411 – An Architecture for Describing Simple Network Management Protocol (SNMP) Management Frameworks (Dec. 2002), https://tools.ietf.org/html/rfc3411 and drafts

	thereof;
	RFC 3418 – Management Information Base (MIB) for the Simple Network Management Protocol (SNMP) (Dec. 2002), https://tools.ietf.org/html/rfc3418 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3414, 5343.
show snmp engineID	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 2274 – User-based Security Model (USM) for version 3 of the Simple Network Management Protocol (SNMPv3) (Jan. 1998), https://tools.ietf.org/html/rfc2274 and drafts thereof;
	RFC 3411 – An Architecture for Describing Simple Network Management Protocol (SNMP) Management Frameworks (Dec. 2002), https://tools.ietf.org/html/rfc3411 and drafts thereof;
	RFC 5343 – Simple Network Management Protocol (SNMP) Context EngineID Discovery (Sept. 2008), https://tools.ietf.org/html/rfc5343 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2575, 3414, 3418.

show snmp group	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 1447 – Party MIB for version 2 of the Simple Network Management Protocol (SNMPv2) (Apr. 1993), https://tools.ietf.org/html/rfc1447 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
show snmp host	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 1271 – Remote Network Monitoring Management Information Base (Nov. 1991), https://tools.ietf.org/html/rfc1271 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
show snmp location	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;

	1
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 3418 – Management Information Base (MIB) for the Simple Network Management Protocol (SNMP) (Dec. 2002), https://tools.ietf.org/html/rfc3418 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 5343.
show snmp mib	See, e.g., RFC 1066 – Management Information Base for Network Management of TCP/IP-based internets (Aug. 1988), https://tools.ietf.org/html/rfc1066 and drafts thereof;
	RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof.
	See also, e.g., RFC 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
show snmp source-interface	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof.

	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442,
	1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
show snmp trap	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 1157 – A Simple Network Management Protocol (SNMP) (May 1990), https://tools.ietf.org/html/rfc1157 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 2922, 3411, 3414, 3418, 5343.
show snmp user	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 2274 – User-based Security Model (USM) for version 3 of the Simple Network Management Protocol (SNMPv3) (Jan. 1998), https://tools.ietf.org/html/rfc2274 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442,

	1447, 1514, 1907, 1910, 2575, 3411, 3414, 3418, 5343.
show snmp view	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 1447 – Party MIB for version 2 of the Simple Network Management Protocol (SNMPv2) (Apr. 1993), https://tools.ietf.org/html/rfc1447 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
show spanning-tree	IEEE 802.1D-1998 (also 1990) ("spanning tree" without hyphen) See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks.

	1
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
show spanning-tree blockedports	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks.
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
show spanning-tree bridge	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;

	,
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks.
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
show spanning-tree interface	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks.
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
show spanning-tree mst	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network

	MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	IEEE 802.1s-2002 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks— Amendment 3: Multiple Spanning Trees (Dec. 2002).
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, RFC 1493, 1286.
show spanning-tree mst configuration	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;

	IEEE 802.1s-2002 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks— Amendment 3: Multiple Spanning Trees (Dec. 2002). See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-
show spanning-tree mst interface	2001, IEEE 802.1D-2001, RFC 1493, 1286. See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	IEEE 802.1s-2002 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks— Amendment 3: Multiple Spanning Trees (Dec. 2002).
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, RFC 1493, 1286.

show spanning-tree root	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	Amendment IEEE 802.1w-2001, IEEE Standard for Local and metropolitan area networks—Common specifications Part 3: Media Access Control (MAC) Bridges—Amendment 2: Rapid Reconfiguration (June 2001).
	See also, e.g., IEEE 802.1Q-2014, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
show tacacs	See, e.g., RFC 1492 – An Access Control Protocol, Sometimes Called TACACS (July 1993), https://tools.ietf.org/html/rfc1492 and drafts thereof.
show vlan	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011.

show vlan internal usage	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011.
show vlan private-vlan	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011, RFC 5517.
show vlan summary	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011.
show vrf	See, e.g., IETF Internet Draft 00 – BGP/MPLS VPNs (Mar. 2000), https://tools.ietf.org/html/draft-rosen-rfc2547bis-00;
	RFC 4364 – BGP/MPLS IP Virtual Private Networks (VPNs) (Feb. 2006), https://tools.ietf.org/html/rfc4364 and drafts thereof.
	See also, e.g., RFC 2547, 4026.
show vrrp	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;

	RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
snmp trap link-status	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 1157 – A Simple Network Management Protocol (SNMP) (May 1990), https://tools.ietf.org/html/rfc1157 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 2922, 3411, 3414, 3418, 5343.
snmp-server chassis-id	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 2922 – Physical Topology MIB (Sept. 2000), https://tools.ietf.org/html/rfc2922 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.

snmp-server community	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
snmp-server contact	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 3411 – An Architecture for Describing Simple Network Management Protocol (SNMP) Management Frameworks (Dec. 2002), https://tools.ietf.org/html/rfc3411 and drafts thereof;
	RFC 3418 – Management Information Base (MIB) for the Simple Network Management Protocol (SNMP) (Dec. 2002), https://tools.ietf.org/html/rfc3418 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3414, 5343.

snmp-server enable traps	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 1157 – A Simple Network Management Protocol (SNMP) (May 1990), https://tools.ietf.org/html/rfc1157 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 2922, 3411, 3414, 3418, 5343.
snmp-server engineID local	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 2274 – User-based Security Model (USM) for version 3 of the Simple Network Management Protocol (SNMPv3) (Jan. 1998), https://tools.ietf.org/html/rfc2274 and drafts thereof;
	RFC 3411 – An Architecture for Describing Simple Network Management Protocol (SNMP) Management Frameworks (Dec. 2002), https://tools.ietf.org/html/rfc3411 and drafts thereof;

	RFC 5343 – Simple Network Management Protocol (SNMP) Context EngineID Discovery (Sept. 2008), https://tools.ietf.org/html/rfc5343 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2575, 3414, 3418.
snmp-server engineID remote	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 2274 – User-based Security Model (USM) for version 3 of the Simple Network Management Protocol (SNMPv3) (Jan. 1998), https://tools.ietf.org/html/rfc2274 and drafts thereof;
	RFC 3411 – An Architecture for Describing Simple Network Management Protocol (SNMP) Management Frameworks (Dec. 2002), https://tools.ietf.org/html/rfc3411 and drafts thereof;
	RFC 5343 – Simple Network Management Protocol (SNMP) Context EngineID Discovery (Sept. 2008), https://tools.ietf.org/html/rfc5343 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2575, 3414, 3418.

snmp-server group	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 1447 – Party MIB for version 2 of the Simple Network Management Protocol (SNMPv2) (Apr. 1993), https://tools.ietf.org/html/rfc1447 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
snmp-server host	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 1271 – Remote Network Monitoring Management Information Base (Nov. 1991), https://tools.ietf.org/html/rfc1271 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
snmp-server location	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;

	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 3418 – Management Information Base (MIB) for the Simple Network Management Protocol (SNMP) (Dec. 2002), https://tools.ietf.org/html/rfc3418 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 5343.
snmp-server source- interface	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
snmp-server user	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 2274 – User-based Security Model (USM) for version 3 of the Simple Network Management Protocol (SNMPv3)

	T
	(Jan. 1998), https://tools.ietf.org/html/rfc2274 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1447, 1514, 1907, 1910, 2575, 3411, 3414, 3418, 5343.
snmp-server view	See, e.g., RFC 1067 – A Simple Network Management Protocol (Aug. 1988), https://tools.ietf.org/html/rfc1067 and drafts thereof;
	RFC 1098 – A Simple Network Management Protocol (SNMP) (Apr. 1989), https://tools.ietf.org/html/rfc1098 and drafts thereof;
	RFC 1447 – Party MIB for version 2 of the Simple Network Management Protocol (SNMPv2) (Apr. 1993), https://tools.ietf.org/html/rfc1447 and drafts thereof.
	See also, e.g., RFC 1066, 1155, 1156, 1157, 1271, 1442, 1514, 1907, 1910, 2274, 2575, 3411, 3414, 3418, 5343.
spanning-tree bpdufilter	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and

	metropolitan area networks: Virtual Bridged Local Area Networks;
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree bpduguard	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree bridge assurance	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;

	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree cost	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree guard	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;

	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree link-type	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	Amendment IEEE 802.1w-2001, IEEE Standard for Local

	and metropolitan area networks—Common specifications Part 3: Media Access Control (MAC) Bridges—Amendment 2: Rapid Reconfiguration (June 2001).
	See also, e.g., IEEE 802.1Q-2014, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree loopguard default	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree mode	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;

	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree mst configuration	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	IEEE 802.1s-2002 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks— Amendment 3: Multiple Spanning Trees (Dec. 2002).

	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, RFC 1493, 1286.
spanning-tree portfast bpdufilter default	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	Amendment IEEE 802.1w-2001, IEEE Standard for Local and metropolitan area networks—Common specifications Part 3: Media Access Control (MAC) Bridges—Amendment 2: Rapid Reconfiguration (June 2001).
	See also, e.g., IEEE 802.1Q-2014, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree portfast bpduguard default	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;

	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	Amendment IEEE 802.1w-2001, IEEE Standard for Local and metropolitan area networks—Common specifications Part 3: Media Access Control (MAC) Bridges—Amendment 2: Rapid Reconfiguration (June 2001).
	See also, e.g., IEEE 802.1Q-2014, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree port- priority	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;

	See also, e.g., IEEE 802.1Q-2014, Amendment IEEE 802.1w-2001, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree transmit hold-count	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	Amendment IEEE 802.1w-2001, IEEE Standard for Local and metropolitan area networks—Common specifications Part 3: Media Access Control (MAC) Bridges—Amendment 2: Rapid Reconfiguration (June 2001).
	See also, e.g., IEEE 802.1Q-2014, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
spanning-tree vlan	See, e.g., IEEE Std 802.1D-1990 – IEEE Standard for Local and Metropolitan Area Networks: Media access control (MAC) Bridges;
	IEEE 802.1D-1998 – IEEE Standard for Local Area Network MAC (Media Access Control) Bridges;

	,
	IEEE 802.1D-2004 – IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges;
	IEEE 802.1Q-2003 – IEEE Standards for Local and metropolitan area networks: Virtual Bridged Local Area Networks;
	Amendment IEEE 802.1w-2001, IEEE Standard for Local and metropolitan area networks—Common specifications Part 3: Media Access Control (MAC) Bridges—Amendment 2: Rapid Reconfiguration (June 2001).
	See also, e.g., IEEE 802.1Q-2014, IEEE 802.1D-2001, IEEE 802.1s-2002, RFC 1493, 1286.
switchport access vlan	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011; RFC 5517.
switchport backup interface	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011; RFC 5517.
switchport mode	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);

	T
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011; RFC 5517.
switchport port-security	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011; RFC 5517.
switchport port-security maximum	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011; RFC 5517.
switchport private-vlan mapping	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011; RFC 5517.
switchport trunk allowed vlan	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011; RFC 5517.
switchport trunk native vlan	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);

	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011; RFC 5517.
switchport vlan mapping	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011; RFC 5517.
tacacs-server host	See, e.g., RFC 1492 – An Access Control Protocol, Sometimes Called TACACS (July 1993), https://tools.ietf.org/html/rfc1492 and drafts thereof.
tacacs-server key	See, e.g., RFC 1492 – An Access Control Protocol, Sometimes Called TACACS (July 1993), https://tools.ietf.org/html/rfc1492 and drafts thereof.
tacacs-server timeout	See, e.g., RFC 1492 – An Access Control Protocol, Sometimes Called TACACS (July 1993), https://tools.ietf.org/html/rfc1492 and drafts thereof.
vlan internal allocation policy	See, e.g., IEEE Std 802.1Q-1998 – IEEE Standards for Local and Metropolitan Area Networks: Virtual Bridged Local Area Networks (Dec. 1998);
	See also, e.g., IEEE Std. 802.1Q-2003, IEEE Std. 802.1Q-2005, IEEE Std. 802.1Q-2011.
vrf definition	See, e.g., IETF Internet Draft 00 – BGP/MPLS VPNs (Mar. 2000), https://tools.ietf.org/html/draft-rosen-rfc2547bis-00 ; RFC 4364 – BGP/MPLS IP Virtual Private Networks (VPNs) (Feb. 2006), https://tools.ietf.org/html/rfc4364 and drafts thereof.
	See also, e.g., RFC 2547, 4026.

vrf forwarding	See, e.g., IETF Internet Draft 00 – BGP/MPLS VPNs (Mar. 2000), https://tools.ietf.org/html/draft-rosen-rfc2547bis-00 ;
	RFC 4364 – BGP/MPLS IP Virtual Private Networks (VPNs) (Feb. 2006), https://tools.ietf.org/html/rfc4364 and drafts thereof.
	See also, e.g., RFC 2547, 4026.
vrrp authentication	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;
	RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
vrrp delay reload	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;
	RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
vrrp description	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;

	RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
vrrp ip	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;
	RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
vrrp ip secondary	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;
	RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
vrrp preempt	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;
	RFC 5798 – Virtual Router Redundancy Protocol (Mar.

	2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
vrrp priority	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;
	RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
vrrp shutdown	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;
	RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
vrrp timers advertise	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts thereof;
	RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;
	RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.
vrrp track	See, e.g., RFC 2338 – Virtual Router Redundancy Protocol (Apr. 1998), https://tools.ietf.org/html/rfc2338 and drafts

thereof;
RFC 3768 – Virtual Router Redundancy Protocol (Apr. 2004), https://tools.ietf.org/html/rfc3768 and drafts thereof;
RFC 5798 – Virtual Router Redundancy Protocol (Mar. 2010), https://tools.ietf.org/html/rfc5798 and drafts thereof.